Indexes to *Nuclear Safety*, Volume 24

Cumulative indexes of previous issues of *Nuclear Safety* have been published as separate documents and are available from the National Technical Information Service. Starting with Volume 23, author and KWIC indexes are published in the first issue of the following volume. Thus this issue contains these indexes for *Nuclear Safety*, Vol. 24. Both indexes use a seven-digit number to indicate the location of the indexed material. The seven-digit number is divided into four parts (00-0-0-000), which stand, respectively, for volume–number–section–page. The authors are indexed alphabetically. In the KWIC (Key Word in Context) index, the article titles are permuted around the various significant words contained therein. For example, the title "Design Basis for Nuclear Power Plant Protection Systems" is indexed under the words Design, Nuclear, Power, Plant, and Protection. The index words are arranged alphabetically in a column in the center of the page, with the titles permuted around them. A slash (/) indicates the end of a title. The two indexes follow.

KWIC Index

IRES" IN VOL.23, NO.4/ COMMENTS ON "METHODOLOGY FOR ASSESSING THE RISK FROM CABLE F 24-1-2-50
THE STUDY OF PRECURSORS TO POTENTIAL SEVERE CORE DAMAGE ACCIDENTS/ REFLECTIONS ON 24-6-6-836
NALYSIS/ ON QUALITY, PEER REVIEW, AND THE ACHIEVEMENT OF CONSENSUS IN PROBABILISTIC RISK A 24-6-2-792
SEVENTEENTH DOE AIR CLEANING CONFERENCE/ 24-1-4-51
COMMERCIAL NUCLEAR POWER PLANTS, 1978-1981/ FAILURES IN AIR CLEANING, AIR MONITORING, AND VENTILATION SY 24-3-4-352
CLEAR POWER PLANTS, 1978-1981/ FAILURES IN AIR CLEANING, AIR MONITORING, AND VENTILATION SYSTEMS IN COMME 24-3-4-352
, AND THE ACHIEVEMENT OF CONSENSUS IN PROBABILISTIC RISK ANALYSIS/ CN QUALITY, PEER REVIEW 24-6-2-792
Y RESEARCH AND DEVELOPMENT PROJECTS THROUGH VALUE IMPACT ANALYSIS/ SELECTION OF NUCLEAR SAFET 24-1-1-12
PERIMENTATION AND TEARING INSTABILITY FRACTURE MECHANICS ANALYSIS/ THE ASSESSMENT OF DEGRADED NUCLEAR PIP 24-5-2-617
T AND RELIABILITY EVALUATION/ ON THE ANALYSIS OF DEPENDENT FAILURES IN RISK ASSESSMEN 24-5-3-637
SYSTEMS/ ANALYSIS, DESIGN, AND EVALUATION OF MAN MACHINE 24-4-3-513
COMPONENT FAILURE RATES APPLICABLE TO LMFBRS AS DERIVED FROM LER DATA/ 24-6-3-801
NO.4/ COMMENTS ON "METHODOLOGY FOR ASSESSING THE RISK FROM CABLE FIRES" IN VOL.23, 24-1-2-50
N ONE TYPE OF MODELING UNCERTAINTY IN PROBABILISTIC RISK ASSESSMENT/ O 24-5-2-624
ON THE ANALYSIS OF DEPENDENT FAILURES IN RISK ASSESSMENT AND RELIABILITY EVALUATION/ 24-5-3-637
AND TEARING INSTABILITY FRACTURE MECHANICS ANALYSIS/ THE ASSESSMENT OF DEGRADED NUCLEAR PIPING BY EXPERIM 24-5-2-617
MODELS AND PARAMETERS FOR ENVIRONMENTAL RADIOLOGICAL ASSESSMENTS/ 24-2-5-227
COOLDOWN PERFORMANCE CAPABILITY OF ATMOSPHERIC STEAM DUMP SYSTEM/ 24-4-2-471
ORPORATING HISTORICAL DATA ON PRECURSOR EVENTS/ BAYESIAN ESTIMATION OF CORE DAMAGE FREQUENCY INC 24-4-2-485
IONIZING RADIATION: SOURCES AND BIOLOGICAL EFFECTS/ 24-3-5-372
EVALUATION OF EVENTS INVOLVING UNPLANNED BORON DILUTIONS IN NUCLEAR POWER PLANTS/ 24-3-6-383
COMMENTS ON "METHODOLOGY FOR ASSESSING THE RISK FROM CABLE FIRES" IN VOL.23, NO.4/ 24-1-2-50
CANADIAN APPROACH TO NUCLEAR POWER SAFETY/ 24-4-1-439
CCOLDOWN PERFORMANCE CAPABILITY OF ATMOSPHERIC STEAM DUMP SYSTEM/ 24-4-2-471
THE DOE PROGRAM FOR CIVILIAN REACTOR DEVELOPMENT/ 24-1-1-26
NSURANCE - THE PRICE-ANDERSON REPARATIONS SYSTEM AND THE CLAIMS EXPERIENCE OF THE NUCLEAR INDUSTRY/ NUCLE 24-6-1-783
NONSAFETY LOADS ON CLASS 1E POWER SOURCES/ 24-6-3-809
PLANT ELECTRICAL EQUIPMENT CLASS 1E QUALIFICATION: AN OLD PROBLEM/ 24-2-3-205
SEVENTEENTH DOE AIR CLEANING CONFERENCE/ 24-1-4-51
MERCIAL NUCLEAR POWER PLANTS, 1978-1981/ FAILURES IN AIR CLEANING, AIR MONITORING, AND VENTILATION SYSTEM 24-3-4-352
AIR CLEANING, AIR MONITORING, AND VENTILATION SYSTEMS IN COMMERCIAL NUCLEAR POWER PLANTS, 1978-1981/ FAIL 24-3-4-352
SOLIDIFICATION OF LOW LEVEL WASTES FROM COMMERCIAL POWER REACTORS/ 24-2-4-213
DERIVED FROM LER DATA/ COMPONENT FAILURE RATES APPLICABLE TO LMFBRS AS 24-6-3-801
EPUBLIC OF GERMANY/ THE SAFETY CONCEPT OF NUCLEAR POWER PLANTS IN THE FEDERAL R 24-6-1-743
SEVENTEENTH DOE AIR CLEANING CONFERENCE/ 24-1-4-51
ON QUALITY, PEER REVIEW, AND THE ACHIEVEMENT OF CONSENSUS IN PROBABILISTIC RISK ANALYSIS/ 24-6-2-792
ON THE COOLABILITY OF DEGRADED LWR CORES/ 24-3-2-319
TEAM DUMP SYSTEM/ COOLDOWN PERFORMANCE CAPABILITY OF ATMOSPHERIC S 24-4-2-471
STEAM GENERATOR TUBE PERFORMANCE: EXPERIENCE WITH WATER COOLED NUCLEAR POWER REACTORS DURING 1980/ 24-1-6-75
FLECTIONS ON THE STUDY OF PRECURSORS TO POTENTIAL SEVERE CORE DAMAGE ACCIDENTS/ RE 24-6-6-836
ATA ON PRECURSOR EVENTS/ BAYESIAN ESTIMATION OF CORE DAMAGE FREQUENCY INCORPORATING HISTORICAL D 24-4-2-485
ON THE COOLABILITY OF DEGRADED LWR CORES/ 24-3-2-319
CUPATIONAL RADIATION EXPOSURE IN NUCLEAR POWER PLANTS/ COST EFFECTIVENESS CONSIDERATIONS IN REDUCING OC 24-6-5-821
IONS ON THE STUDY OF PRECURSORS TO POTENTIAL SEVERE CORE DAMAGE ACCIDENTS/ REFLECT 24-6-6-836
M PRECURSOR EVENTS/ BAYESIAN ESTIMATION OF CORE DAMAGE FREQUENCY INCORPORATING HISTORICAL DATA O 24-4-2-485
ON THE COOLABILITY OF DEGRADED LWR CORES/ 24-3-2-319
STABILITY FRACTURE MECHANICS ANALYSIS/ THE ASSESSMENT OF DEGRADED NUCLEAR PIPING BY EXPERIMENTATION AND F 24-5-2-617
ILITY EVALUATION/ ON THE ANALYSIS OF DEPENDENT FAILURES IN RISK ASSESSMENT AND RELIAB 24-5-3-637
LUATION OF DOSE RATE DATA FOR USE IN NUCLEAR POWER PLANT DESIGN/ EVA 24-1-5-66
R/ DESIGN AND OPERATION OF FAST REACTORS IN THE USS 24-2-6-243
NTERNATIONAL TOPICAL MEETING ON LMFBR SAFETY AND RELATED DESIGN AND OPERATIONAL ASPECTS/ I 24-5-1-607
ANALYSIS, DESIGN, AND EVALUATION OF MAN MACHINE SYSTEMS/ 24-4-3-513
REVIEW OF MAINTAINABILITY OF LARGE LMFBR DESIGNS/ 24-1-2-40
AND VALIDATION AS AN INTEGRAL PART OF THE DEVELOPMENT OF DIGITAL SYSTEMS FOR NUCLEAR APPLICATIONS/ VERIFI 24-3-3-338
EVALUATION OF EVENTS INVOLVING UNPLANNED BORON DILUTIONS IN NUCLEAR POWER PLANTS/ 24-3-6-383
SEVENTEENTH DOE AIR CLEANING CONFERENCE/ 24-1-4-51
THE DOE PROGRAM FOR CIVILIAN REACTOR DEVELOPMENT/ 24-1-1-26
SIGN/ EVALUATION OF DOSE RATE DATA FOR USE IN NUCLEAR POWER PLANT DE 24-1-5-66
COOLDOWN PERFORMANCE CAPABILITY OF ATMOSPHERIC STEAM DUMP SYSTEM/ 24-4-2-471
STEAM GENERATOR TUBE RUPTURE AT R. E. GINNA NUCLEAR POWER PLANT/ 24-1-6-97

Indexes to *Nuclear Safety*, Volume 24

Cumulative indexes of previous issues of *Nuclear Safety* have been published as separate documents and are available from the National Technical Information Service. Starting with Volume 23, author and KWIC indexes are published in the first issue of the following volume. Thus this issue contains these indexes for *Nuclear Safety*, Vol. 24. Both indexes use a seven-digit number to indicate the location of the indexed material. The seven-digit number is divided into four parts (00-0-0-000), which stand, respectively, for volume–number–section–page. The authors are indexed alphabetically. In the KWIC (Key Word in Context) index, the article titles are permuted around the various significant words contained therein. For example, the title "Design Basis for Nuclear Power Plant Protection Systems" is indexed under the words Design, Nuclear, Power, Plant, and Protection. The index words are arranged alphabetically in a column in the center of the page, with the titles permuted around them. A slash (/) indicates the end of a title. The two indexes follow.

KWIC Index

IRES" IN VOL.23, NO.4/ COMMENTS ON "METHODOLOGY FOR ASSESSING THE RISK FROM CABLE F 24-1-2-50
THE STUDY OF PRECURSORS TO POTENTIAL SEVERE CORE DAMAGE ACCIDENTS/ REFLECTIONS ON 24-6-6-836
NALYSIS/ ON QUALITY, PEER REVIEW, AND THE ACHIEVEMENT OF CONSENSUS IN PROBABILISTIC RISK A 24-6-2-792
SEVENTEENTH DOE AIR CLEANING CONFERENCE/ 24-1-4-51
COMMERCIAL NUCLEAR POWER PLANTS, 1978-1981/ FAILURES IN AIR CLEANING, AIR MONITORING, AND VENTILATION SY 24-3-4-352
CLEAR POWER PLANTS, 1978-1981/ FAILURES IN AIR CLEANING, AIR MONITORING, AND VENTILATION SYSTEMS IN COMME 24-3-4-352
, AND THE ACHIEVEMENT OF CONSENSUS IN PROBABILISTIC RISK ANALYSIS/ CN QUALITY, PEER REVIEW 24-6-2-792
Y RESEARCH AND DEVELOPMENT PROJECTS THROUGH VALUE IMPACT ANALYSIS/ SELECTION OF NUCLEAR SAFET 24-1-1-12
PERIMENTATION AND TEARING INSTABILITY FRACTURE MECHANICS ANALYSIS/ THE ASSESSMENT OF DEGRADED NUCLEAR PIP 24-5-2-617
T AND RELIABILITY EVALUATION/ ON THE ANALYSIS OF DEPENDENT FAILURES IN RISK ASSESSMEN 24-5-3-637
SYSTEMS/ ANALYSIS, DESIGN, AND EVALUATION OF MAN MACHINE 24-4-3-513
COMPONENT FAILURE RATES APPLICABLE TO LMFBRS AS DERIVED FROM LER DATA/ 24-6-3-801
NO.4/ COMMENTS ON "METHODOLOGY FOR ASSESSING THE RISK FROM CABLE FIRES" IN VOL.23, 24-1-2-50
N ONE TYPE OF MODELING UNCERTAINTY IN PROBABILISTIC RISK ASSESSMENT/ O 24-5-2-624
ON THE ANALYSIS OF DEPENDENT FAILURES IN RISK ASSESSMENT AND RELIABILITY EVALUATION/ 24-5-3-637
AND TEARING INSTABILITY FRACTURE MECHANICS ANALYSIS/ THE ASSESSMENT OF DEGRADED NUCLEAR PIPING BY EXPERIM 24-5-2-617
MODELS AND PARAMETERS FOR ENVIRONMENTAL RADIOLOGICAL ASSESSMENTS/ 24-2-5-227
COOLDOWN PERFORMANCE CAPABILITY OF ATMOSPHERIC STEAM DUMP SYSTEM/ 24-4-2-471
ORPORATING HISTORICAL DATA ON PRECURSOR EVENTS/ BAYESIAN ESTIMATION OF CORE DAMAGE FREQUENCY INC 24-4-2-485
IONIZING RADIATION: SOURCES AND BIOLOGICAL EFFECTS/ 24-3-5-372
EVALUATION OF EVENTS INVOLVING UNPLANNED BORON DILUTIONS IN NUCLEAR POWER PLANTS/ 24-3-6-383
COMMENTS ON "METHODOLOGY FOR ASSESSING THE RISK FROM CABLE FIRES" IN VOL.23, NO.4/ 24-1-2-50
CANADIAN APPROACH TO NUCLEAR POWER SAFETY/ 24-4-1-439
CCOLDOWN PERFORMANCE CAPABILITY OF ATMOSPHERIC STEAM DUMP SYSTEM/ 24-4-2-471
THE DOE PROGRAM FOR CIVILIAN REACTOR DEVELOPMENT/ 24-1-1-26
NSURANCE - THE PRICE-ANDERSON REPARATIONS SYSTEM AND THE CLAIMS EXPERIENCE OF THE NUCLEAR INDUSTRY/ NUCLE 24-6-1-783
NONSAFETY LOADS ON CLASS 1E POWER SOURCES/ 24-6-3-809
PLANT ELECTRICAL EQUIPMENT CLASS 1E QUALIFICATION: AN OLD PROBLEM/ 24-2-3-205
SEVENTEENTH DOE AIR CLEANING CONFERENCE/ 24-1-4-51
MERCIAL NUCLEAR POWER PLANTS, 1978-1981/ FAILURES IN AIR CLEANING, AIR MONITORING, AND VENTILATION SYSTEM 24-3-4-352
AIR CLEANING, AIR MONITORING, AND VENTILATION SYSTEMS IN COMMERCIAL NUCLEAR POWER PLANTS, 1978-1981/ FAIL 24-3-4-352
SOLIDIFICATION OF LOW LEVEL WASTES FROM COMMERCIAL POWER REACTORS/ 24-2-4-213
DERIVED FROM LER DATA/ COMPONENT FAILURE RATES APPLICABLE TO LMFBRS AS 24-6-3-801
EPUBLIC OF GERMANY/ THE SAFETY CONCEPT OF NUCLEAR POWER PLANTS IN THE FEDERAL R 24-6-1-743
SEVENTEENTH DOE AIR CLEANING CONFERENCE/ 24-1-4-51
ON QUALITY, PEER REVIEW, AND THE ACHIEVEMENT OF CONSENSUS IN PROBABILISTIC RISK ANALYSIS/ 24-6-2-792
ON THE COOLABILITY OF DEGRADED LWR CORES/ 24-3-2-319
TEAM DUMP SYSTEM/ COOLDOWN PERFORMANCE CAPABILITY OF ATMOSPHERIC S 24-4-2-471
STEAM GENERATOR TUBE PERFORMANCE: EXPERIENCE WITH WATER COOLED NUCLEAR POWER REACTORS DURING 1980/ 24-1-6-75
FLECTIONS ON THE STUDY OF PRECURSORS TO POTENTIAL SEVERE CORE DAMAGE ACCIDENTS/ RE 24-6-6-836
ATA ON PRECURSOR EVENTS/ BAYESIAN ESTIMATION OF CORE DAMAGE FREQUENCY INCORPORATING HISTORICAL D 24-4-2-485
ON THE COOLABILITY OF DEGRADED LWR CORES/ 24-3-2-319
CUPATIONAL RADIATION EXPOSURE IN NUCLEAR POWER PLANTS/ COST EFFECTIVENESS CONSIDERATIONS IN REDUCING OC 24-6-5-821
IONS ON THE STUDY OF PRECURSORS TO POTENTIAL SEVERE CORE DAMAGE ACCIDENTS/ REFLECT 24-6-6-836
M PRECURSOR EVENTS/ BAYESIAN ESTIMATION OF CORE DAMAGE FREQUENCY INCORPORATING HISTORICAL DATA O 24-4-2-485
ON THE COOLABILITY OF DEGRADED LWR CORES/ 24-3-2-319
STABILITY FRACTURE MECHANICS ANALYSIS/ THE ASSESSMENT OF DEGRADED NUCLEAR PIPING BY EXPERIMENTATION AND F 24-5-2-617
ILITY EVALUATION/ ON THE ANALYSIS OF DEPENDENT FAILURES IN RISK ASSESSMENT AND RELIAB 24-5-3-637
LUATION OF DOSE RATE DATA FOR USE IN NUCLEAR POWER PLANT DESIGN/ EVA 24-1-5-66
R/ DESIGN AND OPERATION OF FAST REACTORS IN THE USS 24-2-6-243
NTERNATIONAL TOPICAL MEETING ON LMFBR SAFETY AND RELATED DESIGN AND OPERATIONAL ASPECTS/ I 24-5-1-607
ANALYSIS, DESIGN, AND EVALUATION OF MAN MACHINE SYSTEMS/ 24-4-3-513
REVIEW OF MAINTAINABILITY OF LARGE LMFBR DESIGNS/ 24-1-2-40
AND VALIDATION AS AN INTEGRAL PART OF THE DEVELOPMENT OF DIGITAL SYSTEMS FOR NUCLEAR APPLICATIONS/ VERIFI 24-3-3-338
EVALUATION OF EVENTS INVOLVING UNPLANNED BORON DILUTIONS IN NUCLEAR POWER PLANTS/ 24-3-6-383
SEVENTEENTH DOE AIR CLEANING CONFERENCE/ 24-1-4-51
THE DOE PROGRAM FOR CIVILIAN REACTOR DEVELOPMENT/ 24-1-1-26
SIGN/ EVALUATION OF DOSE RATE DATA FOR USE IN NUCLEAR POWER PLANT DE 24-1-5-66
COOLDOWN PERFORMANCE CAPABILITY OF ATMOSPHERIC STEAM DUMP SYSTEM/ 24-4-2-471
STEAM GENERATOR TUBE RUPTURE AT R. E. GINNA NUCLEAR POWER PLANT/ 24-1-6-97

INDEX

IONAL RADIATION EXPOSURE IN NUCLEAR POWER PLANTS/ COST
EPRI RESEARCH IN QUALIFICATION OF SAFETY RELATED
OLD PROBLEM/ PLANT
OCCUPATIONAL RISKS OF
IES/ COMPARATIVE RISKS FROM DIFFERENT
RISK OF
RELATED EQUIPMENT FOR NUCLEAR POWER PLANTS/
MODELS AND PARAMETERS FOR
ELECTRICAL EQUIPMENT/
LWR SAFETY RESEARCH AT
I RESEARCH IN QUALIFICATION OF SAFETY RELATED ELECTRICAL
M/ PLANT ELECTRICAL
ENVIRONMENTAL QUALIFICATION OF ESSENTIAL SAFETY RELATED
G HISTORICAL DATA ON PRECURSOR EVENTS/ BAYESIAN
AGE FREQUENCY INCORPORATING HISTORICAL DATA ON PRECURSOR
REVENTION AND MITIGATION OF STEAM GENERATOR WATER HAMMER
CLEAR POWER PLANTS/ EVALUATION OF
COMPARATIVE RISKS FROM DIFFERENT ENERGY SYSTEMS:
1963-1981/ PRESSURE VESSEL THERMAL SHOCK:
E - THE PRICE-ANDERSON REPARATIONS SYSTEM AND THE CLAIMS
ORS DURING 1980/ STEAM GENERATOR TUBE PERFORMANCE:
S ANALYSIS/ THE ASSESSMENT OF DEGRADED NUCLEAR PIPING BY
E UNITED STATES/ OCCUPATIONAL RADIATION
VENESS CONSIDERATIONS IN REDUCING OCCUPATIONAL RADIATION
ON LER DATA/ COMPONENT
N SYSTEMS IN COMMERCIAL NUCLEAR POWER PLANTS, 1978-1981/
UATION/ ON THE ANALYSIS OF DEPENDENT
THE SAFETY CONCEPT OF NUCLEAR POWER PLANTS IN THE
WATER REACTOR/ LOSS OF
MMENTS ON "METHODOLOGY FOR ASSESSING THE RISK FROM CABLE
UCLEAR PIPING BY EXPERIMENTATION AND TEARING INSTABILITY
THE
RSOR EVENTS/ BAYESIAN ESTIMATION OF CORE DAMAGE
ER COOLED NUCLEAR POWER REACTORS DURING 1980/ STEAM
WER PLANT/ STEAM
PREVENTION AND MITIGATION OF STEAM
NCEPT OF NUCLEAR POWER PLANTS IN THE FEDERAL REPUBLIC OF
STEAM GENERATOR TUBE RUPTURE AT R. E.
PREVENTION AND MITIGATION OF STEAM GENERATOR WATER
TWENTY YEARS OF
YESIAN ESTIMATION OF CORE DAMAGE FREQUENCY INCORPORATING
R SAFETY RESEARCH AND DEVELOPMENT PROJECTS THROUGH VALUE
ARATIONS SYSTEM AND THE CLAIMS EXPERIENCE OF THE NUCLEAR
TENTH NRC WATER REACTOR SAFETY RESEARCH
F DEGRADED NUCLEAR PIPING BY EXPERIMENTATION AND TEARING
MS EXPERIENCE OF THE NUCLEAR INDUSTRY/ NUCLEAR LIABILITY
NUCLEAR APPLICATIONS/ VERIFICATION AND VALIDATION AS AN
LING TRANSIENTS/
OPTIMIZATION OF THE MAN MACHINE
D RELATED DESIGN AND OPERATIONAL ASPECTS/
CTS/
CUPATIONAL RADIATION EXPOSURE AT NUCLEAR POWER PLANTS IN
ONENT FAILURE RATES APPLICABLE TO LMFBRS AS DERIVED FROM
D THE CLAIMS EXPERIENCE OF THE NUCLEAR INDUSTRY/ NUCLEAR
REVIEW OF MAINTAINABILITY OF LARGE
ASPECTS/ INTERNATIONAL TOPICAL MEETING ON
OPTIMIZATION OF THE MAN MACHINE INTERFACE FOR
COMPONENT FAILURE RATES APPLICABLE TO
NONSAFETY
SURIZED WATER REACTOR/
SOLIDIFICATION OF
ON THE COOLABILITY OF DEGRADED
OPTIMIZATION OF THE MAN
ANALYSIS, DESIGN, AND EVALUATION OF MAN
REVIEW OF
OPTIMIZATION OF THE
ANALYSIS, DESIGN, AND EVALUATION OF
PING BY EXPERIMENTATION AND TEARING INSTABILITY FRACTURE
TENTH NRC WATER REACTOR SAFETY RESEARCH INFORMATION
PERATIONAL ASPECTS/ INTERNATIONAL TOPICAL
THIRD SPECIALISTS
S IN PWRS/ PREVENTION AND
SMENT/ ON ONE TYPE OF
ICAL ASSESSMENTS/
R POWER PLANTS, 1978-1981/ FAILURES IN AIR CLEANING, AIR
LOGY FOR ASSESSING THE RISK FROM CABLE FIRES" IN VOL.23,
THIRD SPECIALISTS MEETING ON REACTOR
ETING/ TENTH
INTEGRAL PART OF THE DEVELOPMENT OF DIGITAL SYSTEMS FOR
RSON REPARATIONS SYSTEM AND THE CLAIMS EXPERIENCE OF THE
YSTEM AND THE CLAIMS EXPERIENCE OF THE NUCLEAR INDUSTRY/
FRACTURE MECHANICS ANALYSIS/ THE ASSESSMENT OF DEGRADED
STEAM GENERATOR TUBE RUPTURE AT R. E. GINNA
EVALUATION OF DOSE RATE DATA FOR USE IN
LUATION OF EVENTS INVOLVING UNPLANNED BORON DILUTIONS IN
QUALIFICATION OF ESSENTIAL SAFETY RELATED EQUIPMENT FOR
DERATIONS IN REDUCING OCCUPATIONAL RADIATION EXPOSURE IN
TES/ OCCUPATIONAL RADIATION EXPOSURE AT

EFFECTIVENESS CONSIDERATIONS IN REDUCING OCCUPAT 24-6-5-821
ELECTRICAL EQUIPMENT/ 24-4-3-494
ELECTRICAL EQUIPMENT CLASS 1E QUALIFICATION: AN 24-2-3-205
EMERGENCY PREPAREDNESS - STATUS AND OUTLOOK/ 24-1-1-1
ENERGY PRODUCTION/ 24-4-1-459
ENERGY SYSTEMS: EVOLUTION OF THE METHODS OF STUD 24-2-1-155
ENERGY TECHNOLOGIES/ 24-5-5-671
ENVIRONMENTAL QUALIFICATION OF ESSENTIAL SAFETY 24-5-4-658
ENVIRONMENTAL RADIOLOGICAL ASSESSMENTS/ 24-2-5-227
EPRI RESEARCH IN QUALIFICATION OF SAFETY RELATED 24-4-3-494
EPRI: AN UPDATE/ 24-3-1-293
EQUIPMENT/ EPR 24-4-3-494
EQUIPMENT CLASS 1E QUALIFICATION: AN OLD PROBLE 24-2-3-205
EQUIPMENT FOR NUCLEAR POWER PLANTS/ 24-5-4-658
ESTIMATION OF CORE DAMAGE FREQUENCY INCORPORATIN 24-4-2-485
EVENTS/ BAYESIAN ESTIMATION OF CORE DAM 24-4-2-485
EVENTS IN PWRS/ P 24-4-6-533
EVENTS INVOLVING UNPLANNED BORON DILUTIONS IN NU 24-3-6-383
EVOLUTION OF THE METHODS OF STUDIES/ 24-2-1-155
EXPERIENCE AT U. S. PRESSURIZED WATER REACTORS, 24-4-6-520
EXPERIENCE OF THE NUCLEAR INDUSTRY/ NUCLEAR LIAB 24-6-1-783
EXPERIENCE WITH WATER COOLED NUCLEAR POWER REACT 24-1-6-75
EXPERIMENTATION AND TEARING INSTABILITY FRACTURE 24-5-2-617
EXPOSURE AT NUCLEAR POWER PLANTS IN JAPAN AND TH 24-6-5-829
EXPOSURE IN NUCLEAR POWER PLANTS/ COST EFFECTI 24-6-5-821
FAILURE RATES APPLICABLE TO LMFBRS AS DERIVED FR 24-6-3-801
FAILURES IN AIR CLEANING, AIR MONITORING, AND VE 24-3-4-352
FAILURES IN RISK ASSESSMENT AND RELIABILITY EVAL 24-5-3-637
FEDERAL REPUBLIC OF GERMANY/ 24-6-1-743
FEEDWATER TRANSIENTS FOR THE ZION 1 PRESSURIZED 24-1-2-30
FIRES" IN VOL.23, NO.4/ CO 24-1-2-50
FRACTURE MECHANICS ANALYSIS/ THE ASSESSMENT OF D 24-5-2-617
FRENCH APPROACH TO NUCLEAR POWER SAFETY/ 24-5-1-589
FREQUENCY INCORPORATING HISTORICAL DATA ON PRECU 24-4-2-485
GENERATOR TUBE PERFORMANCE: EXPERIENCE WITH WAT 24-1-6-75
GENERATOR TUBE RUPTURE AT R. E. GINNA NUCLEAR PO 24-1-6-97
GENERATOR WATER HAMMER EVENTS IN PWRS/ 24-4-6-533
GERMANY/ THE SAFETY CO 24-6-1-743
GINNA NUCLEAR POWER PLANT/ 24-1-6-97
HAMMER EVENTS IN PWRS/ 24-4-6-533
HEALTH PHYSICS RESEARCH REACTOR OPERATION/ 24-5-6-678
HISTORICAL DATA ON PRECURSOR EVENTS/ BA 24-4-2-485
IMPACT ANALYSIS/ SELECTION OF NUCLEA 24-1-1-12
INDUSTRY/ NUCLEAR LIABILITY INSURANCE - THE PRIC 24-6-1-783
INFORMATION MEETING/ 24-2-1-173
INSTABILITY FRACTURE MECHANICS ANALYSIS/ THE ASS 24-5-2-617
INSURANCE - THE PRICE-ANDERSON REPARATIONS SYSTE 24-6-1-783
INTEGRAL PART OF THE DEVELOPMENT OF DIGITAL SYST 24-3-3-338
INTEGRITY OF PWR PRESSURE VESSELS DURING OVERCOO 24-2-2-156
INTERFACE FOR LMFBRS/ 24-4-3-506
INTERNATIONAL TOPICAL MEETING ON LMFBR SAFETY AN 24-5-1-607
IONIZING RADIATION: SOURCES AND BIOLOGICAL EFFE 24-3-5-372
JAPAN AND THE UNITED STATES/ OC 24-6-5-829
LER DATA/ CONP 24-6-3-801
LIABILITY INSURANCE - THE PRICE-ANDERSON REPARAT 24-6-1-783
LMFBR DESIGNS/ 24-1-2-40
LMFBR SAFETY AND RELATED DESIGN AND OPERATIONAL 24-5-1-607
LMFBRS/ 24-4-3-506
LMFBRS AS DERIVED FROM LER DATA/ 24-6-3-801
LOADS ON CLASS 1E POWER SOURCES/ 24-6-3-809
LOSS OF FEEDWATER TRANSIENTS FOR THE ZION 1 PRES 24-1-2-30
LOW LEVEL WASTES FROM COMMERCIAL POWER REACTORS/ 24-2-4-213
LWR CORES/ 24-3-2-319
LWR SAFETY RESEARCH AT EPRI: AN UPDATE/ 24-3-1-293
MACHINE INTERFACE FOR LMFBRS/ 24-4-3-506
MACHINE SYSTEMS/ 24-4-3-513
MAINTAINABILITY OF LARGE LMFBR DESIGNS/ 24-1-2-40
MAN MACHINE INTERFACE FOR LMFBRS/ 24-4-3-506
MAN MACHINE SYSTEMS/ 24-4-3-513
MECHANICS ANALYSIS/ THE ASSESSMENT OF DEGRADED N 24-5-2-617
MEETING/ 24-2-1-173
MEETING ON LMFBR SAFETY AND RELATED DESIGN AND O 24-5-1-607
MEETING ON REACTOR NOISE/ 24-2-3-210
MITIGATION OF STEAM GENERATOR WATER HAMMER EVENT 24-4-6-533
MODELING UNCERTAINTY IN PROBABILISTIC RISK ASSES 24-5-2-624
MODELS AND PARAMETERS FOR ENVIRONMENTAL RADIOLOG 24-2-5-227
MONITORING, AND VENTILATION SYSTEMS IN COMMERCIA 24-3-4-352
NO.4/ COMMENTS ON "METHODO 24-1-2-50
NOISE/ 24-2-3-210
NONSAFETY LOADS ON CLASS 1E POWER SOURCES/ 24-6-3-809
NRC WATER REACTOR SAFETY RESEARCH INFORMATION ME 24-2-1-173
NUCLEAR APPLICATIONS/ VERIFICATION AND VALIDATIO 24-3-3-338
NUCLEAR INDUSTRY/ NUCLEAR LIABILITY INSURANCE - 24-6-1-783
NUCLEAR LIABILITY INSURANCE - THE PRICE-ANDERSON 24-6-1-783
NUCLEAR PIPING BY EXPERIMENTATION AND TEARING IN 24-5-2-617
NUCLEAR POWER PLANT/ 24-1-6-97
NUCLEAR POWER PLANT DESIGN/ 24-1-5-66
NUCLEAR POWER PLANTS/ EVA 24-3-6-383
NUCLEAR POWER PLANTS/ ENVIRONMENTAL 24-5-4-658
NUCLEAR POWER PLANTS/ COST EFFECTIVENESS CONSI 24-6-5-821
NUCLEAR POWER PLANTS IN JAPAN AND THE UNITED STA 24-6-5-829

INDEX

GERMANY/ THE SAFETY CCNCEPT OF NUCLEAR POWER PLANTS IN THE FEDERAL REPUBLIC OF 24-6-1-743
G, AIR MONITORING, AND VENTILATION SYSTEMS IN COMMERCIAL NUCLEAR POWER PLANTS, 1978-1981/ FAILURES IN AIR 24-3-4-352
ENERATOR TUBE PERFORMANCE: EXPERIENCE WITH WATER COOLED NUCLEAR POWER REACTORS DURING 1980/ STEAM G 24-1-6-75
CANADIAN APPROACH TO NUCLEAR POWER SAFETY/ 24-4-1-439
THE FRENCH APPROACH TC NUCLEAR POWER SAFETY/ 24-5-1-589
THROUGH VALUE IMPACT ANALYSIS/ SELECTION OF NUCLEAR SAFETY RESEARCH AND DEVELOPMENT PROJECTS 24-1-1-12
PLANTS IN JAPAN AND THE UNITED STATES/ CCCUPATIONAL RADIATION EXPOSURE AT NUCLEAR POWER 24-6-5-829
PLANTS/ COST EFFECTIVENESS CONSIDERATIONS IN REDUCING GCCUPATIONAL RADIATION EXPOSURE IN NUCLEAR POWER 24-6-5-821
OCCUPATIONAL RISKS OF ENERGY PRODUCTION/ 24-4-1-459
ION/ OECD POSITION STATEMENTS ON RADIOLOGICAL PROTECT 24-2-5-239
PLANT ELECTRICAL EQUIPMENT CLASS 1E QUALIFICATION: AN CLD PROBLEM/ 24-2-3-205
L TOPICAL MEETING ON LMFBR SAFETY AND RELATED DESIGN AND OPERATIONAL ASPECTS/ INTERNATIONA 24-5-1-607
FBRS/ OPTIMIZATION OF THE MAN MACHINE INTERFACE FOR LM 24-4-3-506
EMERGENCY PREPAREDNESS - STATUS AND OUTLOOK/ 24-1-1-1
INTEGRITY OF PWR PRESSURE VESSELS DURING OVERCOOLING TRANSIENTS/ 24-2-2-156
MENTS/ MODELS AND PARAMETERS FOR ENVIRONMENTAL RADIOLOGICAL ASSESS 24-2-5-227
PROBABILISTIC RISK ANALYSIS/ ON QUALITY, PEER REVIEW, AND THE ACHIEVEMENT OF CONSENSUS IN 24-6-2-792
AR POWER REACTORS DURING 1980/ STEAM GENERATOR TUBE PERFORMANCE: EXPERIENCE WITH WATER COOLED NUCLE 24-1-6-75
TWENTY YEARS OF HEALTH PHYSICS RESEARCH REACTOR OPERATION/ 24-5-6-678
F MECHANICS ANALYSIS/ THE ASSESSMENT OF DEGRADED NUCLEAR PIPING BY EXPERIMENTATION AND TEARING INSTABILIT 24-5-2-617
NTS INVOLVING UNPLANNED BORON DILUTIONS IN NUCLEAR POWER PLANTS/ EVALUATION OF EVE 24-3-6-383
OF ESSENTIAL SAFETY RELATED EQUIPMENT FOR NUCLEAR POWER PLANTS/ ENVIRONMENTAL QUALIFICATION 24-5-4-658
EDUCING OCCUPATIONAL RADIATION EXPOSURE IN NUCLEAR POWER PLANTS/ COST EFFECTIVENESS CONSIDERATIONS IN R 24-6-5-821
OCCUPATIONAL RADIATION EXPOSURE AT NUCLEAR POWER PLANTS IN JAPAN AND THE UNITED STATES/ 24-6-5-829
THE SAFETY CONCEPT OF NUCLEAR POWER PLANTS IN THE FEDERAL REPUBLIC OF GERMANY/ 24-6-1-743
ING, AND VENTILATION SYSTEMS IN COMMERCIAL NUCLEAR POWER PLANTS, 1978-1981/ FAILURES IN AIR CLEANING, AIR 24-3-4-352
OECD POSITION STATEMENTS ON RADIOLOGICAL PROTECTION/ 24-2-5-239
REFLECTIONS ON THE STUDY OF PRECURSORS TO POTENTIAL SEVERE CORE DAMAGE ACCIDENTS/ 24-6-6-836
STEAM GENERATOR TUBE RUPTURE AT R. E. GINNA NUCLEAR POWER PLANT/ 24-1-6-97
EVALUATION OF DOSE RATE DATA FOR USE IN NUCLEAR POWER PLANT DESIGN/ 24-1-5-66
OF EVENTS INVOLVING UNPLANNED BORON DILUTIONS IN NUCLEAR POWER PLANTS/ EVALUATION 24-3-6-383
CATION OF ESSENTIAL SAFETY RELATED EQUIPMENT FOR NUCLEAR POWER PLANTS/ ENVIRONMENTAL QUALIFI 24-5-4-658
S IN REDUCING OCCUPATIONAL RADIATION EXPOSURE IN NUCLEAR POWER PLANTS/ COST EFFECTIVENESS CONSIDERATION 24-6-5-821
OCCUPATIONAL RADIATION EXPOSURE AT NUCLEAR POWER PLANTS IN JAPAN AND THE UNITED STATES/ 24-6-5-829
THE SAFETY CONCEPT OF NUCLEAR POWER PLANTS IN THE FEDERAL REPUBLIC OF GERMANY/ 24-6-1-743
CWITORING, AND VENTILATION SYSTEMS IN COMMERCIAL NUCLEAR POWER PLANTS, 1978-1981/ FAILURES IN AIR CLEANIN 24-3-4-352
SOLIDIFICATION OF LOW LEVEL WASTES FROM COMMERCIAL POWER REACTORS/ 24-2-4-213
TUBE PERFORMANCE: EXPERIENCE WITH WATER COOLED NUCLEAR POWER REACTORS DURING 1980/ STEAM GENERATOR 24-1-6-75
CANADIAN APPROACH TO NUCLEAR POWER SAFETY/ 24-4-1-439
THE FRENCH APPROACH TC NUCLEAR POWER SAFETY/ 24-5-1-589
NONSAFETY LOADS CN CLASS 1E POWER SOURCES/ 24-6-3-809
F CORE DAMAGE FREQUENCY INCORPORATING HISTORICAL DATA ON PRECURSOR EVENTS/ BAYESIAN ESTIMATION O 24-4-2-485
ENTS/ REFLECTIONS ON THE STUDY OF PRECURSORS TO POTENTIAL SEVERE CORE DAMAGE ACCID 24-6-6-836
EMERGENCY PREPAREDNESS - STATUS AND OUTLOOK/ 24-1-1-1
S. PRESSURIZED WATER REACTORS, 1963-1981/ PRESSURE VESSEL THERMAL SHOCK: EXPERIENCE AT U. 24-4-6-520
INTEGRITY OF PWR PRESSURE VESSELS DURING OVERCOOLING TRANSIENTS/ 24-2-2-196
LOSS OF FEEDWATER TRANSIENTS FOR THE ZION 1 PRESSURIZED WATER REACTOR/ 24-1-2-30
PRESSURE VESSEL THERMAL SHOCK: EXPERIENCE AT U. S. PRESSURIZED WATER REACTORS, 1963-1981/ 24-4-6-520
ER HAMMER EVENTS IN PWRS/ PREVENTION AND MITIGATION OF STEAM GENERATOR WAT 24-4-6-533
THE NUCLEAR INDUSTRY/ NUCLEAR LIABILITY INSURANCE - THE PRICE-ANDERSON REPARATIONS SYSTEM AND THE CLAIMS 24-6-1-783
UALITY, PEER REVIEW, AND THE ACHIEVEMENT OF CONSENSUS IN PROBABILISTIC RISK ANALYSIS/ ON Q 24-6-2-792
ON ONE TYPE OF MODELING UNCERTAINTY IN PROBABILISTIC RISK ASSESSMENT/ 24-5-2-624
SELECTION OF NUCLEAR SAFETY RESEARCH AND DEVELOPMENT PROJECTS THROUGH VALUE IMPACT ANALYSIS/ 24-1-1-12
OECD POSITION STATEMENTS ON RADIOLOGICAL PROTECTION/ 24-2-5-239
TS/ INTEGRITY OF PWR PRESSURE VESSELS DURING OVERCOOLING TRANSIEN 24-2-2-196
AND MITIGATION OF STEAM GENERATOR WATER HAMMER EVENTS IN PWRS/ PREVENTION 24-4-6-533
ENT FOR NUCLEAR POWER PLANTS/ ENVIRONMENTAL QUALIFICATION OF ESSENTIAL SAFETY RELATED EQUIPM 24-5-4-658
MENT/ EPRI RESEARCH IN QUALIFICATION OF SAFETY RELATED ELECTRICAL EQUIP 24-4-3-494
PLANT ELECTRICAL EQUIPMENT CLASS 1E QUALIFICATION: AN OLD PROBLEM/ 24-2-3-205
SENSUS IN PROBABILISTIC RISK ANALYSIS/ ON QUALITY, PEER REVIEW, AND THE ACHIEVEMENT OF CON 24-6-2-792
STEAM GENERATOR TUBE RUPTURE AT R. E. GINNA NUCLEAR POWER PLANT/ 24-1-6-97
PAN AND THE UNITED STATES/ OCCUPATIONAL RADIATION EXPOSURE AT NUCLEAR POWER PLANTS IN JA 24-6-5-829
ST EFFECTIVENESS CONSIDERATIONS IN REDUCING OCCUPATIONAL RADIATION EXPOSURE IN NUCLEAR POWER PLANTS/ CO 24-6-5-821
IONIZING RADIATION: SOURCES AND BIOLOGICAL EFFECTS/ 24-3-5-372
MODELS AND PARAMETERS FOR ENVIRONMENTAL RADIOLOGICAL ASSESSMENTS/ 24-2-5-227
OECD POSITION STATEMENTS ON RADIOLOGICAL PROTECTION/ 24-2-5-239
EVALUATION OF DOSE RATE DATA FOR USE IN NUCLEAR POWER PLANT DESIGN/ 24-1-5-66
ATA/ COMPONENT FAILURE RATES APPLICABLE TO LMFBRS AS DERIVED FROM LER D 24-6-3-801
OF FEEDWATER TRANSIENTS FOR THE ZION 1 PRESSURIZED WATER REACTOR/ LOSS 24-1-2-30
THE DOE PROGRAM FOR CIVILIAN REACTOR DEVELOPMENT/ 24-1-1-26
THIRD SPECIALISTS MEETING ON REACTOR NOISE/ 24-2-3-210
TWENTY YEARS OF HEALTH PHYSICS RESEARCH REACTOR OPERATION/ 24-5-6-678
TENTH NRC WATER REACTOR SAFETY RESEARCH INFORMATION MEETING/ 24-2-1-173
SOLIDIFICATION OF LOW LEVEL WASTES FROM COMMERCIAL POWER REACTORS/ 24-2-4-213
PERFORMANCE: EXPERIENCE WITH WATER COOLED NUCLEAR POWER REACTORS DURING 1980/ STEAM GENERATOR TUBE 24-1-6-75
DESIGN AND OPERATION OF FAST REACTORS IN THE USSR/ 24-2-6-243
EL THERMAL SHOCK: EXPERIENCE AT U. S. PRESSURIZED WATER REACTORS, 1963-1981/ PRESSURE VESS 24-4-6-520
EAR POWER PLANTS/ COST EFFECTIVENESS CONSIDERATIONS IN REDUCING OCCUPATIONAL RADIATION EXPOSURE IN NUCL 24-6-5-821
IAL SEVERE CORE DAMAGE ACCIDENTS/ REFLECTIONS ON THE STUDY OF PRECURSORS TO POTENT 24-6-6-836
HE ANALYSIS OF DEPENDENT FAILURES IN RISK ASSESSMENT AND RELIABILITY EVALUATION/ ON T 24-5-3-637
Y SYSTEMS/ THE INFLUENCE OF TEST AND REPAIR STRATEGIES ON THE UNAVAILABILITY OF SAFET 24-5-3-628
DUSTRY/ NUCLEAR LIABILITY INSURANCE - THE PRICE-ANDERSON REPARATIONS SYSTEM AND THE CLAIMS EXPERIENCE OF 24-6-1-783
HE SAFETY CONCEPT OF NUCLEAR POWER PLANTS IN THE FEDERAL REPUBLIC OF GERMANY/ T 24-6-1-743
/ REVIEW OF MAINTAINABILITY OF LARGE LMFBR DESIGNS 24-1-2-40
ABILISTIC RISK ANALYSIS/ ON QUALITY, PEER REVIEW, AND THE ACHIEVEMENT OF CONSENSUS IN PROB 24-6-2-792
EVIEW, AND THE ACHIEVEMENT OF CONSENSUS IN PROBABILISTIC RISK ANALYSIS/ ON QUALITY, PEER R 24-6-2-792
ON ONE TYPE OF MODELING UNCERTAINTY IN PROBABILISTIC RISK ASSESSMENT/ 24-5-2-624
ON THE ANALYSIS OF DEPENDENT FAILURES IN RISK ASSESSMENT AND RELIABILITY EVALUATION/ 24-5-3-637
COMMENTS ON "METHODOLOGY FOR ASSESSING THE RISK FROM CABLE FIRES" IN VOL.23, NO.4/ 24-1-2-50
RISK OF ENERGY TECHNOLOGIES/ 24-5-5-671
F THE METHODS OF STUDIES/ COMPARATIVE RISKS FROM DIFFERENT ENERGY SYSTEMS: EVOLUTION O 24-2-1-155

INDEX

OCCUPATIONAL RISKS OF ENERGY PRODUCTION/ 24-4-1-459
STEAM GENERATOR TUBE RUPTURE AT R. E. GINNA NUCLEAR POWER PLANT/ 24-1-6-97
PRESSURE VESSEL THERMAL SHOCK: EXPERIENCE AT U. S. PRESSURIZED WATER REACTORS, 1963-1981/ 24-4-6-520
CANADIAN APPROACH TO NUCLEAR POWER SAFETY/ 24-4-1-439
THE FRENCH APPROACH TO NUCLEAR POWER SAFETY/ 24-5-1-589
S/ INTERNATIONAL TOPICAL MEETING ON LMFBR SAFETY AND RELATED DESIGN AND OPERATIONAL ASPECT 24-5-1-607
DERAL REPUBLIC OF GERMANY/ THE SAFETY CONCEPT OF NUCLEAR POWER PLANTS IN THE FE 24-6-1-743
EPRI RESEARCH IN QUALIFICATION OF SAFETY RELATED ELECTRICAL EQUIPMENT/ 24-4-3-454
S/ ENVIRONMENTAL QUALIFICATION OF ESSENTIAL SAFETY RELATED EQUIPMENT FOR NUCLEAR POWER PLANT 24-5-4-658
VALUE IMPACT ANALYSIS/ SELECTION OF NUCLEAR SAFETY RESEARCH AND DEVELOPMENT PROJECTS THROUGH 24-1-1-12
LWR SAFETY RESEARCH AT EPRI: AN UPDATE/ 24-3-1-293
TENTH NRC WATER REACTOR SAFETY RESEARCH INFORMATION MEETING/ 24-2-1-173
E OF TEST AND REPAIR STRATEGIES ON THE UNAVAILABILITY OF SAFETY SYSTEMS/ THE INFLUENC 24-5-3-628
MENT PROJECTS THROUGH VALUE IMPACT ANALYSIS/ SELECTION OF NUCLEAR SAFETY RESEARCH AND DEVELOP 24-1-1-12
SEVENTEENTH DOE AIR CLEANING CONFERENCE/ 24-1-4-51
REFLECTIONS ON THE STUDY OF PRECURSORS TO POTENTIAL SEVERE CORE DAMAGE ACCIDENTS/ 24-6-6-836
ACTORS, 1963-1981/ PRESSURE VESSEL THERMAL SHOCK: EXPERIENCE AT U. S. PRESSURIZED WATER RE 24-4-6-520
AL POWER REACTORS/ SOLIDIFICATION OF LOW LEVEL WASTES FROM COMMERCI 24-2-4-213
NONSAFETY LOADS ON CLASS 1E POWER SOURCES/ 24-6-3-809
IONIZING RADIATION: SOURCES AND BIOLOGICAL EFFECTS/ 24-3-5-372
THIRD SPECIALISTS MEETING ON REACTOR NOISE/ 24-2-3-210
OECD POSITION STATEMENTS ON RADIOLOGICAL PROTECTION/ 24-2-5-239
EMERGENCY PREPAREDNESS - STATUS AND OUTLOOK/ 24-1-1-1
COOLDOWN PERFORMANCE CAPABILITY OF ATMOSPHERIC STEAM DUMP SYSTEM/ 24-4-2-471
TH WATER COOLED NUCLEAR POWER REACTORS DURING 1980/ STEAM GENERATOR TUBE PERFORMANCE: EXPERIENCE WI 24-1-6-75
EAR POWER PLANT/ STEAM GENERATOR TUBE RUPTURE AT R. E. GINNA NUCL 24-1-6-97
PREVENTION AND MITIGATION OF STEAM GENERATOR WATER HAMMER EVENTS IN PWRS/ 24-4-6-533
NS/ THE INFLUENCE OF TEST AND REPAIR STRATEGIES ON THE UNAVAILABILITY OF SAFETY SYSTE 24-5-3-628
COMPARATIVE RISKS FROM DIFFERENT ENERGY SYSTEMS: EVOLUTION OF THE METHODS OF STUDIES/ 24-2-1-155
SSMENT OF DEGRADED NUCLEAR PIPING BY EXPERIMENTATION AND TEARING INSTABILITY FRACTURE MECHANICS ANALYSIS/ 24-5-2-617
RISK OF ENERGY TECHNOLOGIES/ 24-5-5-671
ION MEETING/ TENTH NRC WATER REACTOR SAFETY RESEARCH INFORMAT 24-2-1-173
WATER REACTORS, 1963-1981/ PRESSURE VESSEL THERMAL SHOCK: EXPERIENCE AT U. S. PRESSURIZED 24-4-6-520
THIRD SPECIALISTS MEETING ON REACTOR NOISE/ 24-2-3-210
GN AND OPERATIONAL ASPECTS/ INTERNATIONAL TOPICAL MEETING ON LMFBR SAFETY AND RELATED DESI 24-5-1-607
INTEGRITY OF PWR PRESSURE VESSELS DURING OVERCOOLING TRANSIENTS/ 24-2-2-156
TOR/ LOSS OF FEEDWATER TRANSIENTS FOR THE ZION 1 PRESSURIZED WATER REAC 24-1-2-30
NUCLEAR POWER REACTORS DURING 1980/ STEAM GENERATOR TUBE PERFORMANCE: EXPERIENCE WITH WATER COOLED 24-1-6-75
STEAM GENERATOR TUBE RUPTURE AT R. E. GINNA NUCLEAR POWER PLANT/ 24-1-6-97
OPERATION/ TWENTY YEARS OF HEALTH PHYSICS RESEARCH REACTOR 24-5-6-678
PRESSURE VESSEL THERMAL SHOCK: EXPERIENCE AT U. S. PRESSURIZED WATER REACTORS, 1963-1981/ 24-4-6-520
THE INFLUENCE OF TEST AND REPAIR STRATEGIES ON THE UNAVAILABILITY OF SAFETY SYSTEMS/ 24-5-3-628
ON ONE TYPE OF MODELING UNCERTAINTY IN PROBABILISTIC RISK ASSESSMENT/ 24-5-2-624
IATION EXPOSURE AT NUCLEAR POWER PLANTS IN JAPAN AND THE UNITED STATES/ OCCUPATIONAL RAD 24-6-5-829
S/ EVALUATION OF EVENTS INVOLVING UNPLANNED BORON DILUTIONS IN NUCLEAR POWER PLANT 24-3-6-383
LWR SAFETY RESEARCH AT EPRI: AN UPDATE/ 24-3-1-293
DESIGN AND OPERATION OF FAST REACTORS IN THE USSR/ 24-2-6-243
GIFAL SYSTEMS FOR NUCLEAR APPLICATIONS/ VERIFICATION AND VALIDATION AS AN INTEGRAL PART OF THE DEVELOPMEN 24-3-3-338
NUCLEAR SAFETY RESEARCH AND DEVELOPMENT PROJECTS THROUGH VALUE IMPACT ANALYSIS/ SELECTION OF 24-1-1-12
1978-1981/ FAILURES IN AIR CLEANING, AIR MONITORING, AND VENTILATION SYSTEMS IN COMMERCIAL NUCLEAR POWER 24-3-4-352
DEVELOPMENT OF DIGITAL SYSTEMS FOR NUCLEAR APPLICATIONS/ VERIFICATION AND VALIDATION AS AN INTEGRAL PART 24-3-3-338
URIZED WATER REACTORS, 1963-1981/ PRESSURE VESSEL THERMAL SHOCK: EXPERIENCE AT U. S. PRESS 24-4-6-520
INTEGRITY OF PWR PRESSURE VESSELS DURING OVERCOOLING TRANSIENTS/ 24-2-2-156
"METHODOLOGY FOR ASSESSING THE RISK FROM CABLE FIRES" IN VOL. 23, NO. 4/ COMMENTS ON 24-1-2-50
SOLIDIFICATION OF LOW LEVEL WASTES FROM COMMERCIAL POWER REACTORS/ 24-2-4-213
STEAM GENERATOR TUBE PERFORMANCE: EXPERIENCE WITH WATER COOLED NUCLEAR POWER REACTORS DURING 1980/ 24-1-6-75
PREVENTION AND MITIGATION OF STEAM GENERATOR WATER HAMMER EVENTS IN PWRS/ 24-4-6-533
LOSS OF FEEDWATER TRANSIENTS FOR THE ZION 1 PRESSURIZED WATER REACTOR/ 24-1-2-30
G/ TENTH NRC WATER REACTOR SAFETY RESEARCH INFORMATION MEETIN 24-2-1-173
E VESSEL THERMAL SHOCK: EXPERIENCE AT U. S. PRESSURIZED WATER REACTORS, 1963-1981/ PRESSUR 24-4-6-520
ON/ TWENTY YEARS OF HEALTH PHYSICS RESEARCH REACTOR OPERATI 24-5-6-678
LOSS OF FEEDWATER TRANSIENTS FOR THE ZION 1 PRESSURIZED WATER REACTOR/ 24-1-2-30
LOSS OF FEEDWATER TRANSIENTS FOR THE ZION 1 PRESSURIZED WATER REACTOR/ 24-1-2-30
NONSAFETY LOADS ON CLASS 1E POWER SOURCES/ 24-6-3-809
PLANT ELECTRICAL EQUIPMENT CLASS 1E QUALIFICATION: AN OLD PROBLEM/ 24-2-3-205
SHOCK: EXPERIENCE AT U. S. PRESSURIZED WATER REACTORS, 1963-1981/ PRESSURE VESSEL THERMAL 24-4-6-520
VENTILATION SYSTEMS IN COMMERCIAL NUCLEAR POWER PLANTS, 1978-1981/ FAILURES IN AIR CLEANING, AIR MONITOR 24-3-4-352
PERIENCE WITH WATER COOLED NUCLEAR POWER REACTORS DURING 1980/ STEAM GENERATOR TUBE PERFORMANCE: EX 24-1-6-75

Author List

ADAMANTIADES, A. G. 24-1-1-12
AHMAD, J. 24-5-2-617
ANDERSON, W. 24-4-6-533
APOSTOLAKIS, G. 24-6-2-792
ATAKAN, Y. 24-1-5-66
ATCHISON, R. J. 24-4-1-439
BELLANY, R. R. 24-1-4-51
BOYD, F. C. 24-4-1-439
CHEVERTON, R. D. 24-2-2-196
COLLEY, R. W. 24-4-3-506
COTTRELL, W. B. 24-2-1-173
COTTRELL, W. B. 24-4-6-520
COX, L. A. 24-1-1-12
COX, L. A. 24-4-1-459
DEMUTH, W. S. 24-1-2-30
DHIR, V. K. 24-3-2-319
DOBRANICH, D. 24-1-2-30
DOMARATZKI, Z. 24-4-1-439
ETWIER, E. L. 24-5-5-671
FIKSEL, J. 24-1-1-12
FIKSEL, J. 24-4-1-459
FIRST, M. W. 24-1-4-51
FLEMING, K. N. 24-5-3-637
GARRICK, B. J. 24-6-2-792
GAVIGAN, F. X. 24-5-1-607
GILBERT, B. 24-5-2-617
GILLEY, L. W. 24-5-6-678
GOODSTEIN, L. P. 24-4-3-513
GUARRO, S. 24-6-6-836
HAGEN, E. W. 24-3-6-383
HAMILTON, L. D. 24-2-1-155
HAN, J. T. 24-4-6-533
HARRIS, J. D. 24-4-2-471
HEISING, C. D. 24-4-2-485
HENNINGER, R. J. 24-1-2-30
HIROTA, J. 24-2-3-210
IMAHORI, A. 24-6-5-829
IVUTIN, E. I. 24-2-6-243
ISKANDER, S. K. 24-2-2-196
JACOBS, I. M. 24-6-3-801
JAMES, M. F. 24-1-2-50
JASKE, R. T. 24-1-1-1
KALELKAR, A. S. 24-4-1-459
KALRA, S. P. 24-3-1-293
KANNINEN, M. F. 24-5-2-617
KELLEY, A. P. JR. 24-5-3-637
KHODAREV, E. A. 24-2-6-243
KLEPPMANN, W. G. 24-5-3-628

INDEX

LEWIN, J.	24-6-3-809	NEILSON, R. M. JR.	24-2-4-213	SEIPEL, H. G.	24-6-1-743
LOCHARD, J.	24-6-5-821	OKRENT, D.	24-6-2-792	SHINOHARA, Y.	24-2-3-210
LOEWENSTEIN, W. B.	24-3-1-293	OKRENT, D.	24-6-6-836	SIMS, C. S.	24-5-6-678
MACCIA, C.	24-6-5-821	PAGES, P.	24-6-5-821	SLITER, G. E.	24-4-3-494
MARRONE, J.	24-6-1-783	PAN, J.	24-5-2-617	STRAKER, E. A.	24-3-3-338
MARSCHALL, C. W.	24-5-2-617	PARRY, G. W.	24-5-2-624	STRATTON, R. C.	24-4-3-506
MATTE, J. III	24-1-2-40	PATHANIA, R. S.	24-1-6-75	SUN, L-S. C.	24-3-4-352
MCGRATH, T. J.	24-2-3-205	PHUNG, D. L.	24-4-6-520	TANGUY, P.	24-5-1-589
MCNEILL, H.	24-5-4-658	POPELAR, C.	24-5-2-617	TATONE, O. S.	24-1-6-75
MILLER, C. W.	24-2-5-227	REDGATE, H. V.	24-2-3-205	THAGGERT, H. L.	24-6-3-801
MOELLER, D. W.	24-1-4-51	RICCI, P. F.	24-4-1-459	THOMAS, N. C.	24-3-3-338
MOELLER, D. W.	24-3-4-352	RICHARDSON, D. L.	24-1-1-12	TRAVIS, C. C.	24-5-5-671
MOSLEH, A.	24-4-2-485	SCHNURER, H. L.	24-6-1-743	WHITMAN, G. D.	24-2-2-196
MOSLEH, A.	24-5-3-637	SEEMAN, S. E.	24-4-3-506	WILKOWSKI, G.	24-5-2-617